Google

Identity and Access System LDAP query   [Search]

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **922,000** for Identity and Access System LDAP query. (0.57 seconds)

Identity Management Success » Blog Archive » How to Find Anything ...
This post will deal with **LDAP**'s relation to **Identity Access** Management **systems**,
describing the way various vendors, including Sun, Oracle, and Microsoft ...
www.linksbusinessgroup.com/blog/2007/07/26/how-to-find-anything-in-ldap-part-ii/ - 41k -
Cached - Similar pages

LDAP and password Resources on TechRepublic
I am trying to set up an **LDAP query** for my AD saved queries to keep an eye on my ...
Identity and Access Management EngineerCambridge, MA, 04/18/2007 ...
search.techrepublic.com.com/search/**LDAP**+and+password.html - 52k -
Cached - Similar pages

[PPT] Identity Management Infrastructure at The University of Kansas
File Format: Microsoft Powerpoint - View as HTML
Both currently use direct **query** against **LDAP**. ANSR (our network authN/authZ **system**)
directly queries **LDAP**. AIMS. 16. 11 March 2005. Future Directions ...
archie.csce.uark.edu/gpn/publications/AIMStalk.ppt - Similar pages

[PPT] Microsoft Identity Integration Server & Role Base Access
File Format: Microsoft Powerpoint - View as HTML
Microsoft **Identity** Integration Server & Role Base **Access.** Theo Kostelijk ... Membership in
AD or Local Server, or AzMan Groups; **LDAP Query** Groups; BizRules ...
download.microsoft.com/download/7/2/e/72e21bea-63f6-4665-bd0c-
8dde04f29974/PPt's13april.ppt - Similar pages

Mark Wilcox's Weblog : Weblog
User **Identity** is the Electron of Computer Security **System** .... data **access** to **query** the
authorative data source for any **LDAP query** at the time it is made. ...
www.jroller.com/mwilcox/category/**Identity** - 37k - Cached - Similar pages

3 Making Schema Data Available to the Identity System
Every **LDAP** attribute has an associated data type. In the **Identity System**, ... This rule
causes an **LDAP query** on the printer object class and builds a list ...
download-uk.oracle.com/docs/cd/B28196_01/idmanage.1014/b25343/objects.htm - 127k -
Cached - Similar pages

Monitor ActiveXperts and Exchange using an LDAP query
For secure **access**, **LDAP** supports Transport Layer Security (TLS), ... For instance, Sun's
Solaris operating **system** provides support for **LDAP** as its naming ...
www.activexperts.com/activmonitor/functions/**ldap**/ - 33k - Cached - Similar pages

Arrangement for retrieving recorded audio announcements from a ...
Method and **system** for audibly announcing an indication of an **identity** of a ..... If the name
query resource 44 receives a redirect response from the **LDAP** ...
www.patentstorm.us/patents/6940954-description.html - 50k - Cached - Similar pages

ms-DS-Az-LDAP-Query Attribute (Windows)
A string that defines the **LDAP query** (max length 4096) which determines the ...
Administration and Management > Directory, **Identity, and Access** Services ...
msdn2.microsoft.com/en-us/library/ms677391.aspx - 13k - Cached - Similar pages

Identity & Access Management: Create Custom Directories with ADAM ...

Identity & Access Management: Create Custom Directories with ADAM ... Ldp This is another raw **LDAP** tool for viewing and managing the ADAM instance. ...
www.microsoft.com/technet/technetmag/issues/2006/07/CustomDir/ - 52k -
Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

Identity and Access System LDAP q [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web   Images   Products   News   Maps   Gmail   more ▾

Google

Identity and Access System LDAP query filters [Search]   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **693,000** for <u>Identity</u> and <u>Access</u> <u>System</u> LDAP <u>query</u> <u>filters</u>. **(0.75** seconds)

<u>Identity</u> Management Success » Blog Archive » How to Find Anything ...
This post will deal with **LDAP**'s relation to **Identity Access** Management **systems**,
describing the way various vendors, including Sun, Oracle, and Microsoft ...
www.linksbusinessgroup.com/blog/2007/07/26/how-to-find-anything-in-**ldap**-part-ii/ - 41k -
Cached - Similar pages

3 Making Schema Data Available to the **Identity System**
Oracle® **Access** Manager **Identity** and Common Administration Guide 10g (10.1.4.0.1) ......
See "Writing **LDAP Filters** Using **Query** Builder" for details. ...
download-uk.oracle.com/docs/cd/B28196_01/idmanage.1014/b25343/objects.htm - 127k -
Cached - Similar pages

A Deploying with Active Directory
When the user tries to log in to the **Access System**, a Basic Over **LDAP** dialog box .... To
configure single sign-on with the **Identity** or the **Access System** ...
download-uk.oracle.com/docs/cd/B28196_01/idmanage.1014/b25343/deply_ad.htm - 40k -
Cached - Similar pages
[More results from download-uk.oracle.com]

Cool Solutions: WalkID: The iChain **LDAP-Query**-enabled Plug-in
To process a **query** of one specific attribute at one **Ldap** server using the ... that uses
dynamic values (Macro Attribute) of logged objects on **LDAP filters**. ...
www.novell.com/coolsolutions/feature/16369.html - 22k - Cached - Similar pages

Mark Wilcox's Weblog : Weblog
User **Identity** is the Electron of Computer Security **System** .... data **access** to **query** the
authorative data source for any **LDAP query** at the time it is made. ...
www.jroller.com/mwilcox/category/**Identity** - 37k - Cached - Similar pages

Simplify directory **access** with Spring **LDAP** - Java World
Once you have set the conditions you can retrieve the actual **LDAP query** generated by
calling **Filter**.endcode() . This method will return a string ...
www.javaworld.com/javaworld/jw-06-2007/jw-06-spring**ldap**.html?page=3 - 56k -
Cached - Similar pages

Identity & Access Management: Create Custom Directories with ADAM ...
Identity & Access ManagementBrian Redmond ... Ldp This is another raw **LDAP** tool for
viewing and managing the ADAM instance. Ldp.exe can be used with any ...
www.microsoft.com/technet/technetmag/issues/2006/07/CustomDir/ - 52k -
Cached - Similar pages

Query-Filter (Windows)
CN, **Query-Filter. Ldap**-Display-Name, queryFilter ... Administration and Management >
Directory, **Identity, and Access** Services.> Directory Services Overview ...
msdn2.microsoft.com/EN-US/library/ms679433.aspx - 14k - Cached - Similar pages

Browse by Tags - ASP.NET Forums
In a config file I must write **LDAP query** for catch all users that are in ... domain subdomain
filter, ActiveDirectory ADAM, **ldap** tutorial directoryservices ...
forums.asp.net/tags/**LDAP**/default.aspx?PageIndex=4 - 35k - Cached - Similar pages

1dent1ty cHa0s: October 2006

You can use any **LDAP query** tool to locate attributes in this state. ... **LDAP Query Filter**:
.... DEC 2008: Designing an **Identity & Access** Managemen. ...
www.**identity**chaos.com/2006_10_01_archive.html - 146k - Cached - Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

Identity and Access System LDAP q [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

Identity and Access System LDAP query filters [Search]   Advanced Search
Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web   Results **11 - 20** of about **693,000** for <u>Identity</u> and <u>Access</u> <u>System</u> LDAP <u>query</u> <u>filters</u>. (0.50 seconds)

LDAP Settings (Remote LDAP Authentication Source)
Note: You must install the Plumtree **Identity** Service for **LDAP** to **access** this ... In the User
Query Filter box, type a **filter** that limits the results to only ...
https://ptprod-ext.uhc.com/imageserver/webservices/
ldap/en/authenticationsource_remote_**ldap_ldap**settings.htm - 11k -
Cached - Similar pages

Middleware Integration with Existing Applications: Current Design ...
This mechanism can use attributes inherited from the authentication mechanism used or
from **LDAP query filters**. Sympa SOAP interface **...**
middleware.internet2.edu/mlist/docs/internet2-mace-mlist-middleware-integration-issues-
200510.html - 79k - Cached - Similar pages

Support for RDBMS in LDAP system - Patent 20050080792
1 includes an integrated **Identity System** and **Access System**, other embodiments may
only ..... For example, an **LDAP query** is translated to a select statement. ...
www.freepatentsonline.com/20050080792.html - 130k - Cached - Similar pages

[PDF] Identity Management and Enterprise Directories in a University ...
File Format: PDF/Adobe Acrobat - View as HTML
NMI-EDIT **Identity and Access** Management Case Study Series. January 2006. 55.
Entering a numeric string such as "6400" yields the **LDAP query**: ...
www.nmi-edit.org/case_studies/Alaska200602.pdf - Similar pages

BMCDN : Using AR System®'s AREA LDAP Functionality to Assign Groups
There are two fields, Group Base and Group **Filter**, that are used to build an **LDAP query**
to find the groups for a specific user. There is a third field, ...
developer.bmc.com/jiveProd/kbclick.jspa?categoryID=528&externalID=35&searchID=-1 -
33k - Cached - Similar pages

Sun Java System Access Manager - How to convert to ADAM (Active ...
Is there an example of configuring AM to use AD for the **identity** .... I turned up the AM
debug and saw what looked to be an **LDAP query** for ou=people. ...
forum.java.sun.com/thread.jspa?threadID=5093434&messageID=9321758 - 54k -
Cached - Similar pages

D46987GC10
Identity System Applications and Components Use of **Query** Builder **Access System**
Architecture ... Object Selector Display Type and Search **Filters** ...
education.oracle.co.uk/html/oracle/1001US/D46987GC10.htm - 11k -
Cached - Similar pages

AD Authentication and IIS 6.0 in asp.net (C#) - IIS.net
<**identity** impersonate="true"/> ... Disabled anonymous **access** in IIS, and added
<authentication ... in web.config and used my credentials in **LDAP query**. ...
forums.iis.net/p/1144412/1849301.aspx - 42k - Cached - Similar pages

draft-ietf-ldapext-acl-model-05 - Access Control Model for LDAP
An "**access identity**" is an **identity** which is used by an **access** decision ..... **LDAP Access**
Control Policy **Query** operations: invocations of **ldap** search when ...
tools.ietf.org/html/draft-ietf-ldapext-acl-model-05 - 94k - Cached - Similar pages

---

ASA 8.0: Configure **LDAP** Authentication for WebVPN Users - Cisco ...
Note: In this example Lightweight Directory **Access** Protocol (**LDAP**) authentication is ... for
more information about how to grant **LDAP query** privileges. ...
www.cisco.com/en/US/products/ps6120/
products_configuration_example09186a00808c3c45.shtml - 33k - Cached - Similar pages

Previous 1 2 3 4 5 6 7 8 9 10 11   **Next**

Identity and Access System LDAP q | Search |

Search within results | Language Tools | Search Tips

Google

Identity and Access System LDAP query filters [Search]   Advanced Search
                                                           Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 10 of about 129,000 for <u>Identity</u> and <u>Access</u> <u>System</u> LDAP <u>query</u> <u>filters</u> <u>first</u> <u>partition</u> <u>expression</u>. (0.63 secc

Support for RDBMS in **LDAP system** - Patent 20050080792
For example, some **Identity Systems** are designed to work with **LDAP** directories. ...... The
partition expression is in **LDAP filter** format. The **access** request ...
www.freepatentsonline.com/20050080792.html - 130k - Cached - Similar pages

Partitioning data **access** requests - Patent 20050080766
[0006] Some **Identity Systems** use **LDAP** directories to store data. ... The **filter**
expression is provided to the **first** data source if the **filter expression** ...
www.freepatentsonline.com/20050080766.html - 133k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Creating More Efficient Microsoft Active Directory-Enabled ...
When creating an **LDAP** dialect, the **query filter** should have at least one ..... **Identity and**
Access Services > Creating More Efficient Microsoft Active ...
msdn2.microsoft.com/en-US/library/ms808539.aspx - 53k - Cached - Similar pages

Distributed evalulation of directory queries using a topology ...
An **LDAP query** consists of a base entry DN, a search scope, and a **filter**. ..... For server
query nodes, the **query expression** Q is **first** generated by ...
www.patentstorm.us/patents/6980985-description.html - 66k - Cached - Similar pages

C H A P T E R 7
If the **filter** is a simple **query**, with just one **expression** (e.g., ... provide connection of
disparate **LDAP systems**. For instance, the **LDAP** client ...
www.springerlink.com/index/ln1088748076w27r.pdf - Similar pages

Category Browsing Results
Understanding DB2 **Query Access** Plans. Overview Area. ..... **LDAP** Support on Linux.
Dynamic LPAR Support for AIX5.2B. Dynamic **System** Domain Support. ...
opamp.com/cf/browse.cfm?Main=MISCELLANEOUS&Sub1=DB2 - 84k -
Cached - Similar pages

Opamp Title-Keyword, Author & ISBN Search Results
System Access. Partition Manager. Performance Monitors. ... 6) Create the **First** Virtual
Partition. 7) Boot the **First** Virtual **Partition**. ...
opamp.com/cf/keyword.cfm?SRow=1&Keywords=HP+UX - 97k - Cached - Similar pages

oreilly.com -- Online Catalog: **LDAP System** Administration
If you want to be a master of your domain, **LDAP System** Administration will help you ...
Access to apply search **filters** (e.g., Are there any entries with a ...
www.oreilly.com/catalog/**ldap**sa/toc.html - 408k - Cached - Similar pages

Sun Java[TM] **System Identity** Manager 7.1 Release Notes
You can now create a specific **expression** rather than **first** creating a BLOCK and ....
method can be used to pass a search **filter** to an **LDAP** resource adapter. ...
docs.sun.com/source/820-0815/doc_addenda.html - 200k - Cached - Similar pages

Distributed/Heterogeneous **Query** Processing in Microsoft SQL Server
First, the **system** introduces well- ... **system** using other widely used data **access**
interface ...... must introduce startup **filter expressions** to dynami- ...
ieeexplore.ieee.org/iel5/9680/30564/01410211.pdf?arnumber=1410211 - Similar pages

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **Next**

Download <u>Google Pack</u>: free essential software for your PC

Identity and Access System LDAP q [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Google

Identity and Access System LDAP query filters [Search]   Advanced Search
                                                            Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results **11 - 20** of about **129,000** for <u>Identity</u> and <u>Access</u> <u>System</u> LDAP <u>query</u> <u>filters</u> <u>first</u> <u>partition</u> <u>expression</u>. (0.60 sec

A secure platform for peer-to-peer computing in the internet ...
cabularies to **partition** search spaces and enable juxtaposi-. tion of multiple P2P
applications ..... signing the E-Speak **system**. **First**, we can have multiple ...
ieeexplore.ieee.org/iel5/7798/21442/00994532.pdf?arnumber=994532 - Similar pages

BytePile.com - Definitions & Terms - L
1) In a network, latency, a synonym for delay, is an **expression** of how much .... Lightweight
Directory **Access** Protocol (**LDAP**) is a software protocol for ...
bytepile.com/definitions-l.php - 62k - Cached - Similar pages

[PDF] Active Directory as a Directory Service
File Format: PDF/Adobe Acrobat - View as HTML
For a comparison with the SQL (Structured **Query** Language) **expression** ...... following
examples as **first** parameter of the **LDAP filter**. CODE03.CPP ...
www.disco.unimib.it/uploadredirect/upload/AD-as-a-DS.pdf - Similar pages

[PDF] Isode Web to **LDAP Access** Server Administration Guide
File Format: PDF/Adobe Acrobat - View as HTML
system access controls on Windows NT to protect Web **Access** Server information. ......
The String Representation of **LDAP** Search **Filters**. T. Howes. ...
www.isode.com/Documentation/WEBLDAP.pdf - Similar pages

Presentations
Data of interest is identified when **Expression Filter** matches incoming data with .....
Identity management, **access** control, and security are among the most ...
www.teamycc.com/RMOUG_2008_Conference/presentations.htm - 183k -
Cached - Similar pages

Data Processing: Database And File Management Or Data Structures ...
The **first partition** has a **first** file **system** comprising (i) a plurality of **first** ..... Instead of
discarding the encoding of a **query's** sub-**expression** if no . ...
www.freshpatents.com/x1707001000psbc.php - 493k - Cached - Similar pages

Data processing: database and file management or data structures ...
20060004803 - Write-**access** control **system**: A method and **system** is provided so that
requests to a **first** application (e.g., an **LDAP** directory) are routed to a ...
www.freshpatents.com/Data-processing--database-and-file-management-or-data-
structures-dt200601ntc707.php - 267k - Cached - Similar pages

IBM SJ 46-3 | A configuration management database architecture in ...
Under the covers, CCMDB translates the **filter** into SQL (Structured **Query** .... storage
access method) data sets, and IBM IMS* (information management **system**) ...
www.research.ibm.com/journal/sj/463/madduri.html - 70k - Cached - Similar pages

ActiveRoles Management Shell for Active Directory version 1.0 ...
Ldap (is the default mode starting from this build) means: use **LDAP** wildcards ... Name
Resolution **Ldap query** (translates to the following **ldap filter**: ...
powergui.org/servlet/JiveServlet/download/173-3446-9531-1328/arms%20build%
20history.txt - 107k - Cached - Similar pages

CWE - CWE OWASP Slice (Draft 7)
Now, this **query** can be broken down into: [1] a **first** SQL **query**: SELECT ITEM,PRICE

FROM ... contents, or commands of the **LDAP query** before it is executed. ...
cwe.mitre.org/data/slices/owasp.html - 148k - Cached - Similar pages

Identity and Access System LDAP q [Search]

Search within results | Language Tools | Search Tips

Web   Images   Products   News   Maps   Gmail   more ▾   Sign in

Google

Identity and Access System LDAP query filters [Search]   Advanced Search
Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results **1** - **10** of about **127,000** for <u>Identity</u> and <u>Access</u> <u>System</u> LDAP <u>query</u> <u>filters</u> <u>first</u> <u>partition</u> <u>expression</u> <u>data</u> <u>store</u>

Partitioning **data access** requests - Patent 20050080766
[0006] Some **Identity Systems** use **LDAP** directories to **store data**. ... for a **data access**
request and accessing a **partition expressions** for **first data** source ...
www.freepatentsonline.com/20050080766.html - 133k - Cached - Similar pages

Support for RDBMS in **LDAP system** - Patent 20050080792
1 includes an integrated **Identity System** and **Access System**, ... The **partition**
expression for the **first data store** may be (region=United States) and the ...
www.freepatentsonline.com/20050080792.html - 130k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Creating More Efficient Microsoft Active Directory-Enabled ...
When creating an **LDAP** dialect, the **query filter** should have at least one indexed .... After
retrieving an object for the **first** time, **store** the GUID for the ...
msdn2.microsoft.com/en-US/library/ms808539.aspx - 53k - Cached - Similar pages

Distributed evalulation of directory queries using a topology ...
An **LDAP query** consists of a base entry DN, a search scope, and a **filter**. ..... For server
query nodes, the **query expression** Q is **first** generated by ...
www.patentstorm.us/patents/6980985-description.html - 66k - Cached - Similar pages

IBM SJ 46-3 | A configuration management **database** architecture in ...
Without relationships between **data** objects in a CMDB, the **data store** would ... of the
configuration queries can be expressed by a single **filter expression**. ...
www.research.ibm.com/journal/sj/463/madduri.html - 70k - Cached - Similar pages

C H A P T E R 7
If the **filter** is a simple **query**, with just one **expression** (e.g., ... provide connection of
disparate **LDAP systems**. For instance, the **LDAP** client ...
www.springerlink.com/index/ln1088748076w27r.pdf - Similar pages

Distributed/Heterogeneous **Query** Processing in Microsoft SQL Server
system using other widely used **data access** interface. such as ODBC or JDBC as the
"plug-in ...... must introduce startup **filter expressions** to dynami- ...
ieeexplore.ieee.org/iel5/9680/30564/01410211.pdf?arnumber=1410211 - Similar pages

Data Processing: **Database** And File Management Or **Data** Structures ...
The **first partition** has a **first** file **system** comprising (i) a plurality of **first** clusters
configured to **store data** having accesses faster than a **first** worst ...
www.freshpatents.com/x1707001000psbc.php - 493k - Cached - Similar pages

oreilly.com -- Online Catalog: **LDAP System** Administration
First, it can use **LDAP** as a **data store** for RADIUS attribute values. ...... **Access** to apply
search **filters** (e.g., Are there any entries with a ...
www.oreilly.com/catalog/**ldap**sa/toc.html - 408k - Cached - Similar pages

Category Browsing Results
Understanding DB2 **Query Access** Plans. Overview Area. **Database** Context Area. .....
LDAP Support on Linux. Dynamic LPAR Support for AIX5.2B. Dynamic **System** ...
opamp.com/cf/browse.cfm?Main=MISCELLANEOUS&Sub1=DB2 - 84k -
Cached - Similar pages

---

1 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

Identity and Access System LDAP q   [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

Identity and Access System LDAP query filters [Search]   Advanced Search
                                                          Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 11 - 20 of about **127,000** for <u>Identity</u> and <u>Access</u> <u>System</u> LDAP <u>query</u> <u>filters</u> <u>first</u> <u>partition</u> <u>expression</u> <u>data</u> <u>stor</u>

CWE - CWE OWASP Slice (Draft 7)
For example, custom cookies commonly **store** session **data** or persistent **data** across .....
contents, or commands of the **LDAP query** before it is executed. ...
cwe.mitre.org/**data**/slices/owasp.html - 148k - <u>Cached</u> - <u>Similar pages</u>

BytePile.com - Definitions & Terms - L
The **first** step in synchronizing **LDAP** directories is extracting the full ... LTO was developed
in two different formats - one for fast **data access** and ...
bytepile.com/definitions-l.php - 62k - <u>Cached</u> - <u>Similar pages</u>

·Red Hat Glossary
An **access system** that keeps unauthorized users from accessing resources on ..... **Data** is
written to a swap **partition** when there is not enough main memory to ...
https://redhat.com/docs/glossary/ - 105k - <u>Cached</u> - <u>Similar pages</u>

O'Reilly - Safari Books Online - 0131470248 - A Practical Guide to ...
A **filter** transforms the input stream of **data** and sends it to standard output. .....
Traditionally, **LDAP** is used to **access** information such as email ...
safari.oreilly.com/0131470248/gloss01 - <u>Similar pages</u>

Presentations
Data of interest is identified when **Expression Filter** matches incoming **data** with .....
Identity management, **access** control, and security are among the most ...
www.teamycc.com/RMOUG_2008_Conference/presentations.htm - 183k -
<u>Cached</u> - <u>Similar pages</u>

Bookpool: Oracle **Database** 10g New Features: Oracle10g Reference ...
Access to Single Sign On Wallet. Key **Store** Interface. End-to-End **Identity** Propagation.
Database Authentication with Standard **LDAP** Password Verifiers ...
www.bookpool.com/sm/0974071609 - 82k - <u>Cached</u> - <u>Similar pages</u>

Targeted CR List for ASE 15.0.1 Technote: **Database** Management ...
These constant **expressions** involved VARCHAR **data** types. ..... for rows switches on ILA
at the parent level and the next **access** moves to a new **partition**. ...
www.sybase.com/detail?id=1040214 - 138k - <u>Cached</u> - <u>Similar pages</u>

intro(1) - phpMan
1S Commands specific to the SunOS **system**. OTHER SECTIONS See these sections ......
convert a JavaSpaces **datastore** to the newer Reliable Log **datastore** format ...
cc.in2p3.fr/doc/phpman.php/man/intro/1 - 168k - <u>Cached</u> - <u>Similar pages</u>

Index - Safehaus
Virtual directory enables federating (aggregating) **identity data** from multiple ...... Create a
new **data store**, Choose **LDAP** as the type of **data store** ...
docs.safehaus.org/display/PENROSE/Index - 175k - <u>Cached</u> - <u>Similar pages</u>

Oracle9i **Database** New Features
Oracle9i Flashback **Query** lets users and applications **query data** as it appeared in .....
Multi-process support for higher-concurrency **LDAP access** has been ...
www.cs.uvm.edu/oracle9doc/server.901/a90120/ch2_feat.htm - 176k -
<u>Cached</u> - <u>Similar pages</u>

Identity and Access System LDAP q [Search]

Search within results | Language Tools | Search Tips

Web   Images   Products   News   Maps   Gmail   more ▾   · Sign in

Google

Identity and Access System LDAP query filters [Search] Advanced Search
                                                          Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results **21** - **30** of about **127,000** for Identity and Access System LDAP query filters first partition expression data stor

Information home: IBM WebSphere Application Server Notices IBM ...
Configuring multiple **LDAP** servers for user registry failover ...... Diagnosing problems with
data store exclusive **access** locks **...**
publib.boulder.ibm.com/infocenter/ws60help/index.jsp - 977k - Cached - Similar pages

[PDF] LDAP and OpenLDAP
File Format: PDF/Adobe Acrobat
of an **LDAP database** or **partition**. For example, for the **database**. rooted at
dc=Whitemice,dc=Org,. a **query** for an object at. dc=BlackRat,dc=Org would be a ...
www.uvm.edu/ets/projects/ldap/ldapv3.pdf - Similar pages

BABEL: A Glossary of Computer Related Abbreviations and Acronyms
D/A Digital to Analog DAA **Data Access** Arrangement + Decimal Adjust for ...... Signal
Quality Error (test) SQL/DS Structured **Query** Language/**Data System** [IBM] ...
www.geocities.com/ikind_babel/babel/babel.html - 238k - Cached - Similar pages

Data processing: database and file management or data structures ...
20060167927 - **Data query** and location through a central ontology model: A **data** ......
20060155716 - Schema change governance for **identity store**: A **system** ...
www.freshpatents.com/Data-processing--database-and-file-management-or-data-
structures-dt200607ntc707.php - 272k - Cached - Similar pages

Opamp Title-Keyword, Author & ISBN Search Results
Fundamental Kernel **Data** Structures: A **First** Pass. Kernel Process Tables. The Kernel File
System .... **System Access**. **Partition** Manager. Performance Monitors. ...
opamp.com/cf/keyword.cfm?SRow=1&Keywords=HP+UX - 97k - Cached - Similar pages

Abreviations
DACS : Digital **Access** Cross-connect **System** / **Data** Acquisition and Control
Subsystem ..... IAM : Inverse ATM Multiplexing / **Identity and Access** Management ...
users.skynet.be/agpym/abreviations2.html - 163k - Cached - Similar pages

Glossary of Common UNIX and General Computer Terms
A **data** structure used by a BSD-type of terminal driver to **store data** ...... For example, the
root file **system** is usually on the **first partition**, named a. ...
h30097.www3.hp.com/docs/base_doc/
DOCUMENTATION/V51B_HTML/ARH8XETE/GLSSRYXX.HTM - 204k -
Cached - Similar pages

[PDF] Red Hat Glossary
File Format: PDF/Adobe Acrobat - View as HTML
An open source version of lightweight Directory **Access** Protocol (**LDAP**). ..... there is not
enough main memory to **store** the **data** that a **system** is processing. ...
web.mit.edu/rhel-doc/4/RH-DOCS/pdf/rh-glossary-en.pdf - Similar pages

Exam Cram - 0131470248 - A Practical Guide to Red Hat® Linux ...
The receiving **system** recomputes the checksum based on the received **data** and .... and
access system files but does not use a local disk to **store** user files. ...
safari.examcram2.com/0131470248/gloss01 - Similar pages

[PDF] Active Directory as a Directory Service
File Format: PDF/Adobe Acrobat - View as HTML

The Extensible Storage Engine (ESENT.dll) has **access** to the **database**'s physical.
section. ..... following examples as **first** parameter of the **LDAP filter**. ...
www.disco.unimib.it/uploadredirect/upload/AD-as-a-DS.pdf - Similar pages

Identity and Access System LDAP q [Search]

Search within results | Language Tools | Search Tips

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"10682330".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:43
S2	2	"6341289".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:12
S3	5	(schema adj1 map$3) and (partition$3 adj1 (data or object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:14
S4	2	"5629979".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:15
S5	19	"5629979"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 17:15
S6	1	"6999956".pn.	USPAT	OR	OFF	2006/04/11 16:39
S7	1	"6085188".pn.	USPAT	OR	OFF	2006/04/11 16:39
S8	1246	((relational adj1 database) RDBMS) and LDAP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S9	196	S8 and ((data adj1 store$1) same map$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:45
S10	9	S8 and ((data adj1 store$1) near map$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S11	4	S10 and (@rlad < "20031008" or @ad < "20031008")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51

EAST Search History

S12	13	((relational adj1 database) RDBMS) near (LDAP adj directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S13	9	S12 and (@rlad < "20031008" or @ad < "20031008")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S14	3	S12 and ((data adj1 store$1) near map$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:51
S15	0	S14 and (@rlad < "20031008" or @ad < "20031008")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:52
S16	1	"20030014442" and map$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S17	1	"20030014442" and map$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S18	1	S17 and (data adj1 store$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/26 10:54
S19	1	"6,085,188".pn.	USPAT	OR	OFF	2006/09/26 11:14
S20	1	"6704873".pn.	USPAT	OR	OFF	2007/03/15 14:07